



LEGEND

=====

- DENOTES EXISTING TO BE REMOVED
- PATCH, REPAIR AND MAKE GOOD ALL SURFACES AFFECTED

=====

- DENOTES EXISTING PARTITION TO REMAIN
- PATCH, REPAIR AND MAKE GOOD ALL SURFACES AFFECTED

----- PARTITION TYPE A (1) (B-1)

- 3 5/8" METAL STUDS @ 16 O.C.
- 1 LAYER 1/2" GWB EACH SIDE, SLAB TO CEILING
- TAPE, FILLED AND SANDED READY TO RECEIVE FINISH AS SPECIFIED
- BATT SOUND INSULATION R14

(600) DENOTES NEW DOOR (100) DENOTES AREA NUMBER
(EX600) DENOTES EXISTING DOOR (EX100) DENOTES EXISTING AREA NUMBER

[Pattern] DENOTES MILLWORK AND REFERENCE NUMBER SEE MILLWORK LEGEND AND DETAILS (1)

[Symbol] UNLESS OTHERWISE NOTED ON PLAN OR DETAIL, ALL PARTITIONS ARE TO BE CENTERED ON BASE BUILDING LAY-IN-TILE CEILING (CENTRE OF TILE OR CENTRE OF 'T') OR CENTRE OF WINDOW MULLION.

(1) (3) (2) (1)
(H-1) (H-1) (D-1) (D-1)

- GENERAL FINISH NOTES:**
- AREAS EX100, 137, 136, EX134 (WET AREA ONLY), 133, 127 TO RECEIVE NEW VINYL TILE FLOORING AND NEW VINYL BASE.
 - AREAS EX101 TO EX105, 108 TO 110, 111 TO EX126, EX128 TO EX131, EX134 AND EX135 TO TO RECEIVED ROLLED GOODS CARPET AND BASE TO BE SPECIFIED BY CONTRACTOR .
 - ALL OTHER AREAS FLOORING IS EXISTING.
 - ALL OTHER AREAS TO RECEIVE PAINT FINISH EXCEPT EX106, EX132, AND EX138 TO EX141.

THE UNDERSIGNED HAS REVIEWED & TAKEN RESPONSIBILITY FOR THIS DESIGN AND HAS THE QUALIFICATIONS AND MEETS THE REQUIREMENTS SET OUT IN THE ONTARIO BUILDING CODE TO BE A DESIGNER

QUALIFICATION INFORMATION
 REQUIRED UNLESS DESIGN IS EXEMPT UNDER 2.17.5.1 OF THE BUILDING CODE
 ROBERT CHAPLA 2847
 NAME BCIN#
 SIGNATURE

REGISTRATION INFORMATION
 REQUIRED UNLESS DESIGN IS EXEMPT UNDER 2.17.1
 BALANCE OFFICE DESIGN CONSULTANTS 31686
 INCORPORATED FIRM NAME BCIN#

project name:
HALTON MULTICULTURAL COUNCIL
 1092 Speers Road
 Oakville, ON

drawing name:
1ST FLOOR
DEMOLITION, CONSTRUCTION AND PARTITION
PLAN

issue no:
 1 issued for review
 2
 3
 4

drawn by:
 NJ/RC
 scale:
 1/8" = 1'-0"

project no:
 08012
 date:
 19 Nov 08
 project name:

01-01